



SHEAR WALL TABLE

8d NAIL SPACING	L _{min}	Δ _{max}
S1 = 6" o.c. S2 = 12" o.c.	6'-0"	900 S.F.
	8'-0"	1200 S.F.
	10'-0"	1500 S.F.
S1 = 4" o.c. S2 = 12" o.c.	4'-0"	900 S.F.
	5'-0"	1200 S.F.
	7'-0"	1500 S.F.

NOTES:
S1 = NAIL SPACING AT WALL SHEATHING EDGES
S2 = NAIL SPACING AT WALL INTERMEDIATE MEMBERS
SEE DETAIL DRAWING NO. 2B FOR NAILING DETAIL





$$L_{min} = J + K + L \dots$$

SHEAR WALL TABLE

8d NAIL SPACING	L _{min}	Δ _{max}
S1 = 6" o.c. S2 = 12" o.c.	6'-0"	900 S.F.
	8'-0"	1200 S.F.
	10'-0"	1500 S.F.
S1 = 4" o.c. S2 = 12" o.c.	4'-0"	900 S.F.
	5'-0"	1200 S.F.
	7'-0"	1500 S.F.

NOTES:
S1 = NAIL SPACING AT WALL SHEATHING EDGES
S2 = NAIL SPACING AT WALL INTERMEDIATE MEMBERS
SEE DETAIL DRAWING NO. 2B FOR NAILING DETAIL



$$L_{min} = U + X + Y + Z \dots$$